

FLEXIBEL HANGING SOLUTIONS

Artiteq[®]
DISPLAY IT LED

ARTITEQ.COM

Artiteq®

DISPLAY IT LED

Specialist in hanging concepts

As a product specialist in the field of hanging concepts, Artiteq has been developing flexible hanging systems for paintings and other wall decorations since 1995. A good hanging system is indispensable for the presentation of art and the stylish decoration of spaces.

Artiteq is there for the professional and the consumer and thus plays a role in education, healthcare, galleries and museums. Our innovative hanging systems are also used in offices and commercial environments, where they are appreciated for their flexibility and safety when decorating walls.

Within Artiteq's Presentation Systems there is the Display It LED, a flexible and solid cable system equipped with LED panels for presenting a product or service.

- bright LED lighting
- flex & fixed
- available in different sizes



DISPLAY IT LED

A **flexible and attention-grabbing** solution for presenting products and services in display cases and shop windows.


Contents of LED panel **easily interchangeable** and **height adjustable**.

Double-sided function of LED panel.


Double orientation for A2, A3 and A4 LED panels.

Available in **two variants**: Display It LED **FIXED** and **FLEX**.

DISPLAY IT LED FLEX




DISPLAY IT LED FIXED




DISPLAY IT LED FLEX

The Display It LED FLEX can be wall or ceiling mounted. This is done by means of a rail. Thanks to the rail, it is possible to hang the LED panels over the entire length of the rail. A nice flexible freestanding solution is offered.



DISPLAY IT LED FIXED

The Display It LED FIXED has a fixed mounting on the ceiling, sloping wall or wall which allows for placement in showcases, display windows or on the wall.



LED PANELS


The LED panels for the Display It LED come in different sizes. The LED panels **A2, A3 and A4** have a **double orientation**. These panels can both be used as **portrait and landscape**.

The special LED panels **2xA4 and 3xA4** have a **single orientation**. These special panels can only be used as **portrait**.

Combine different size LED panels together.



ONLY PORTRAIT



WITH REFLECTIVE FOIL WITHOUT REFLECTIVE FOIL




LANDSCAPE & PORTRAIT

LED PANELS

All LED panels are equipped with **bright and energy efficient LED lighting**. The brightness of the A2 LED panels is around 2000 Lux. The other LED panels have a brightness of approx. 3000 Lux.

The LED panels have a **slim appearance** (panel is +/- 10mm thick) and a life time of 50000 hours.

All LED panels can be used **double-sided**. For **single-sided** use, a **special reflective foil** is placed on the back of the LED panel to prevent light reflection.



The LED panels are **easily adjustable in height**. Specific translucent paper or foil is required to be used in the LED panels. Using conventional paper will diminish the brightness and look of your content.

DISPLAY IT LED FLEX

Suitable for flexible use along wall or ceiling



RAIL BLACK*



183 cm

7720.183

RAIL BLACK*



300 cm

7720.300

HANGINGSET



2x 300 cm

7710.010

* Rail is inclusief bevestigingsmateriaal en eindkappen

POWER CONNECTOR SET



7710.020

RAIL COVER CAP BLACK



82/37 x 82 mm

7740.019



installation video

DISPLAY IT LED FIXED

Suitable for fixed wall or ceiling mounting



SET STEELWIRE



Hanging set 2 x 300 cm


7710.030



LED PANELS


dimensions and specifications

LED-PANELS		
7700.004	A4 (landscape & portrait)	9 watt
7700.003	A3 (landscape & portrait)	17 watt
7700.002	A2 (landscape & portrait)	22 watt
7700.020	2x A4 (portrait only)	17 watt
7700.021	3x A4 (portrait only)	24 watt



LANDSCAPE & PORTRAIT

PORTRAIT



ITEM NUMBER	LPN-D-A2 DOUBLE SIDES / LANDSCAPE & PORTRAIT	LPN-D-A3 DOUBLE SIDES / LANDSCAPE & PORTRAIT	LPN-D-A4 DOUBLE SIDES / LANDSCAPE & PORTRAIT	LPN-D-A4P*2 DOUBLE SIDES / PORTRAIT ONLY	LPN-D-A4P*3 DOUBLE SIDES / PORTRAIT ONLY
FRAME SIZE (MM)	454*628mm	454*331mm	244*331mm	466*331mm	688*331mm
VISUAL SIZE (MM)	410*584mm	410*287mm	200*287mm	2*(200*287)mm	3*(200*287)mm
PICTURE SIZE (MM)	420*594mm	420*297mm	210*297mm	2*(210*297)mm	3*(210*297)mm
THICKNESS (MM)	12mm	10mm	10mm	10mm	10mm
VOLTAGE (V)	24V	24V	24V	24V	24V
POWER (WATT)	22W / pcs	17 W / pcs	9 W / pcs	17 W / pcs	24 W / pcs
BRIGHTNESS (LUX)	Around 2000 Lux	Around 3000 Lux	Around 3000 Lux	Around 3000 Lux	Around 3000 Lux
WEIGHT (KGS)	4.60 kgs / pcs	2.00 kgs / pcs	1.20 kgs / pcs	2.10 kgs / pcs	3.20 kgs / pcs
LIFE TIME	50000 Hours	50000 Hours	50000 Hours	50000 Hours	50000 Hours
CERTIFICATE	CE & FCC	CE & FCC	CE & FCC	CE & FCC	CE & FCC

LED PAPER & TRANSFORMERS

Using conventional paper is not advised, as it is not translucent and will diminish the brightness and look of your content. Specific translucent paper or foil is required to be used in the LED panels.

PREMIUM NEVERTEAR BACKLIT PAPER

xerox

7706.004	A4
7706.003	A3

LED panels with print on normal paper



LED panels with print on Xerox Nevertear Backlit Paper



TRANSFORMERS

TRANSFORMER*		TRANSFORMER DIMMABLE**
60 VA	200 VA	150 VA
7730.060	7730.200	7730.150CA

Download app for dimmable possibility

* total length of cable transformer 5m
** only usable with app 'casambi'

FEATURES

1	Constant Voltage design
2	Universal AC input
3	Aluminium case, fully encapsulated with IP67 level
4	Protections: Short circuit/Over load/ Over current
5	Cooling by free air convection
6	100% full load burn-in test
7	High reliability





ARTITEQ

Herastraat 39

5047 TX Tilburg

The Netherlands

+31 (0)13 572 90 70

info@artiteq.com

artiteq.com